Author Index

Alano, P., see Delves, C.J., 271
Alexandre, S., Paindavoine, P., Tababi, P., Pays, A., Halleux, S., Steinert, M. and Pays, E.
Differential expression of a family of putative adenylate/guanylate cyclase genes in *Trypanosoma brucei*, 279
Apfel, H. and Meyer, T.F.
Active release of surface proteins: a mechanism associated with the immune escape of *Acanthocheilonema viteae* microfilariae, 199
Araujo, F.G., see Prince, J.B., 97
Archer, S., El-Hamouly, W., Seyed-Mozaffari, A., Butler, R.H., Pica-Mattoccia, L. and Cioli, D.
Mode of action of the schistosomicide Hycanthone: site of DNA alkylation, 89
Arnot, D.E., Stewart, M.J. and Barnwell, J.W.
Antigenic diversity in Thai *Plasmodium vivax* circumsporozoite proteins (*Short Communication*), 147
Auer, K.L., see Prince, J.B., 97

Banerji, S., see Wakefield, A.E., 69
Barnwell, J.W., see Arnot, D.E., 147
Beck, E., see Felleisen, R., 289
Beck, J.T. and Ullman, B.
Nutritional requirements of wild-type and folate transport-deficient *Leishmania donovani* for pterins and folates, 221
Bendahman, N., see Deleersnijder, W., 231
Boersema, J.H., see Roos, M.H., 77
Boisvenue, R.J., see Pratt, D., 181
Boothroyd, J.C., see Hobbs, M.B., 1
Borgsteede, F.H.M., see Roos, M.H., 77
Brijs, L., see Deleersnijder, W., 231
Butler, R.H., see Archer, S., 89

Cameron, M., see Natarajan, S., 39
Campbell, G.H., see Lal, A.A., 143
Capron, A., see Dissous, C., 245
Carr, D.A., see Thomas, A.W., 211
Carter, J.M., see Thomas, A.W., 211
Cioli, D., see Archer, S., 89
Colomer-Gould, V. and Enea, V.
Plasmodium yoelii nigeriensis circumsporozoite gene structure and its implications for the evolution of the repeat regions, 51
Cornelissen, J., see Roos, M.H., 77
Cox, G.N., see Pratt, D., 181
Cummings, R.D., see Rivera-Marrero, C.A., 59

Dalrymple, B.P.
Cloning and characterization of the rRNA genes and flanking regions from *Babesia bovis*; use of the genes as strain discriminating probes, 117
de Souto Padron, T., see Murta, A.C.M., 27
de Souza, W., see Murta, A.C.M., 27

Deleersnijder, W., Hendrix, D., Bendahman, N., Hanegreefs, J., Brijs, L., Hamers-Casterman, C. and Hamers, R.
Molecular cloning and sequence analysis of the gene encoding the major merozoite surface antigen of *Plasmodium chabaudi chabaudi* IP-PC1, 231
Delves, C.J., Alano, P., Ridley, R.G., Goman, M., Holloway, S.P., Hyde, J.E. and Scaife, J.G.
Expression of α and β tubulin genes during the asexual and sexual blood stages of *Plasmodium falciparum*, 271
Delves, C., see Holloway, S.P., 257
Dissous, C., Torpier, G., Duvaux-Miret, O. and Capron, A.
Structural homology of tropomyosins from the human trematode *Schistosoma mansoni* and its intermediate host *Biomphalaria glabrata*, 245
Duvaux-Miret, O., see Dissous, C., 245

El-Hamouly, W., see Archer, S., 89
Enea, V., see Colomer-Gould, V., 51
Evans, J.E., see Ortega-Barria, E., 151

Felleisen, R., Beck, E., Usmany, M., Vlak, J. and Klinkert, M.-Q.
Cloning and expression of *Schistosoma mansoni* protein Sm32 in a baculovirus vector (*Short Communication*), 289
Frank, P.H., see Williams, N., 125

Gerousis, M., see Holloway, S.P., 257
Goldman, I.F., see Lal, A.A., 143
Goman, M., see Delves, C.J., 271
Guimarães, J.A., see Murta, A.C.M., 27

Halleux, S., see Alexandre, S., 279
Hamers, R., see Deleersnijder, W., 231
Hamers, R., see Songa, E.B., 167
Hamers-Casterman, C., see Deleersnijder, W., 231
Hanegreefs, J., see Deleersnijder, W., 231
Heath, S., Hieny, S. and Sher, A.
A cyclic AMP inducible gene expressed during the development of infective stages of *Trypanosoma cruzi*, 133
Hendrix, D., see Deleersnijder, W., 231
Hide, G., see Keith, K., 107
Hieny, S., see Heath, S., 133
Hobbs, M.R. and Boothroyd, J.C.
An expression-site-associated gene family of trypanosomes is expressed in vivo and shows homology to a variant surface glycoprotein gene, 1
Holloway, S.P., Gerousis, M., Delves, C.J., Sims, P.F.G., Scaife, J.G. and Hyde, J.E.
The tubulin genes of the human malaria parasite *Plasmodium falciparum*, their chromosomal location and sequence analysis of the α-tubulin II gene, 257
Holloway, S.P., see Delves, C.J., 271

Hopkin, J.M., see Wakefield, A.E., 69
Huskinson, J., see Prince, J.B., 97
Hyde, J.E., see Delves, C.J., 271
Hyde, J.E., see Holloway, S.P., 257

Isaac, R.E., Muimo, R. and MacGregor, A.N.
N-Acetylation of serotonin, octopamine and dopamine by adult *Brugia pahangi*, 193

Keith, K., Hide, G. and Tait, A.
Characterisation of protein kinase C-like activities in *Trypanosoma brucei*, 107
Klinkert, M.-Q., see Felleisen, R., 289
Krakow, J.L. and Wang, C.C.
Purification and characterization of glycerol kinase from *Trypanosoma brucei*, 17

Lal, A.A., Goldman, I.F. and Campbell, G.H.
Primary structure of the 25-kilodalton ookinete antigen from *Plasmodium reichowi* (*Short Communication*), 143
Lyon, A.A., see Thomas, A.W., 211

MacGregor, A.N., see Isaac, R.E., 193
Meyer, T.F., see Apfel, H., 199
Milhausen, M.J., see Pratt, D., 181
Miller, R.F., see Wakefield, A.E., 69
Moxon, E.R., see Wakefield, A.E., 69
Muimo, R., see Isaac, R.E., 193
Muldermans, S., see Songa, E.B., 167
Murta, A.C.M., Persechini, P.M., de Souto Padron, T., de Souza, W., Guimarães, J.A. and Scharfstein, J.
Structural and functional identification of GP57/51 antigen of *Trypanosoma cruzi* as a cysteine proteinase, 27

Natarajan, S., Werner, C., Cameron, M. and Rajan, T.V.
Isolation and characterization of a repetitive DNA element from the genome of the human filarial parasite, *Brugia malayi*, 39

Ortega-Barria, E., Ward, H.D., Evans, J.E. and Pereira, M.E.A.
N-Acetyl-D-glucosamine is present in cysts and trophozoites of *Giardia lamblia* and serves as receptor for wheatgerm agglutinin, 151

Paindavoine, P., see Alexandre, S., 279
Paindavoine, P., see Songa, E.B., 167
Parmley, S.F., see Prince, J.B., 97
Pays, A., see Alexandre, S., 279
Pays, E., see Alexandre, S., 279
Pereira, M.E.A., see Ortega-Barria, E., 151
Persechini, P.M., see Murta, A.C.M., 27
Pica-Mattoccia, L., see Archer, S., 89
Pixley, F.J., see Wakefield, A.E., 69
Pratt, D., Cox, G.N., Milhausen, M.J. and Boisvenue, R.J.
A developmentally regulated cysteine protease gene family in *Haemonchus contortus*, 181
Prince, J.B., Auer, K.L., Huskinson, J., Parmley, S.F., Araujo, F.G. and Remington, J.S.
Cloning, expression, and cDNA sequence of surface antigen P22 from *Toxoplasma gondii*, 97

Rajan, T.V., see Natarajan, S., 39
Remington, J.S., see Prince, J.B., 97
Ridley, R.G., see Delves, C.J., 271
Rivera-Marrero, C.A. and Cummungs, R.D.
Schistosoma mansoni contains a galactosyltransferase activity distinct from that typically found in mammalian cells, 59
Roos, M.H., Boersema, J.H., Borgsteede, F.H.M., Cornelissen, J., Taylor, M. and Ruitenberg, E.J.
Molecular analysis of selection for benzimidazole resistance in the sheep parasite *Haemonchus contortus*, 77
Ruitenberg, E.J., see Roos, M.H., 77

Scaife, J.G., see Delves, C.J., 271
Scaife, J.G., see Holloway, S.P., 257
Scharfstein, J., see Murta, A.C.M., 27
Seyed-Mozaffari, A., see Archer, S., 89
Sher, A., see Heath, S., 133
Sims, P.F.G., see Holloway, S.P., 257
Sinclair, K., see Wakefield, A.E., 69
Songa, E.B., Paindavoine, P., Wittouck, E., Viseshakul, N., Muldermans, S., Steinert, M. and Hamers, R.
Evidence for kinetoplast and nuclear DNA homogeneity in *Trypanosoma evansi* isolates, 167
Steinert, M., see Alexandre, S., 279
Steinert, M., see Songa, E.B., 167
Stewart, M.J., see Arnot, D.E., 147

Tait, A., see Keith, K., 107
Taylor, M., see Roos, M.H., 77
Tebabi, P., see Alexandre, S., 279
Thomas, A.W., Carr, D.A., Carter, J.M. and Lyon, J.A.
Sequence comparison of allelic forms of the *Plasmodium falciparum* merozoite surface antigen MSA2, 211
Torpier, G., see Dissous, C., 245

Ullman, B., see Beck, J.T., 221
Usmany, M., see Felleisen, R., 289

Viseshakul, N., see Songa, E.B., 167
Vlak, J., see Felleisen, R., 289

Wakefield, A.E., Pixley, F.J., Banerji, S., Sinclair, K., Miller, R.F., Moxon, E.R. and Hopkin, J.M.
Amplification of mitochondrial ribosomal RNA sequences from *Pneumocystis carinii* DNA of rat and human origin, 69
Wang, C.C., see Krakow, J.L., 17
Ward, H.D., see Ortega-Barria, E., 151
Werner, C., see Natarjan, S., 39
Williams, N. and Frank, P.H.
The mitochondrial ATP synthase of *Trypanosoma brucei*: isolation and characterization of the intact F1 moiety, 125
Witthouck, E., see Songa, E.B., 167

Subject Index

Adenylate cyclase, 279
Antigen shedding, 199
Antigen, 27, 97
Antigenic diversity, 147

Babesia bovis, 117
Baculovirus, 289
Benzimidazole, 77
Bioenergetics, 125
Biogenic amine metabolism, 193
Biomphalaria glabrata, 245
Bloodstream-specific, 1
Brugia malayi, 39
Brugia pahangi, 193

Carbohydrate moiety, 151
Cathepsin B, 181
Characterization, 39
Chromosomal mapping, 257
Circumsporozoite gene, 51
Circumsporozoite protein, 147
Cloning, 97
Cyclic AMP, 133
Cysteine protease, 181
Cysteine proteinase, 27

Deoxyguanosine adduct, 89
Diacylglycerol, 107
Differentiation, 133
DNA alkylation, 89
DNA amplification, 69
DNA sequence, 211
Dopamine, 193
Drug action, 89
Drug resistance, 77

EMBL3 genomic library, 117
Epitope mapping, 231
Evolution, 1
Excretory-secretory protein, 199
Expression, 181, 289
Expression site-associated gene, 1

F_1-ATPase, purification, 125
Filaria, 199
Folate, 221

Galactosyltransferase, 59
Gas chromatography/mass spectrometry, 151
Gene expression, 279
Gene family, 181
Gene structure, 181
Genetics, 221
Giardia lamblia, 151
Glycerol kinase, 17
Glycoconjugate, 59
Glycoprotein, 151
Glycosome, 17
Glycosylation, 289
Guanylate cyclase, 279

Haemonchus contortus, 77, 181
Host-parasite relationship, 245
Hycanthone, 89
5-Hydroxytryptamine, 193

Immunity, 27
Intron splicing, 271
Isoelectric point, 107
Isolation, 39

Kinetics, 125
Kinetoplast DNA, 167

Lectin, 151
Leishmania, 221
Lysosome, 27

Malaria, 211, 231
Merozoite, 211
Metacyclogenesis, 133
Molecular evolution, 51
MSA2, 211
Multicopy sequence, 117
Mutant, 221

N-Acetyl-D-glucosamine, 151
N-Acetyltransferase, 193
Nucleic acid sequence, 231

Octopamine, 193
Ookinete antigen, 143

Parasite life-cycle, 279
Plasmodium chabaudi chabaudi, 231
Plasmodium falciparum, 211, 257, 271
Plasmodium reichenowi, 143
Plasmodium species, 117
Plasmodium vivax, 147
Plasmodium yoelii nigeriensis, 51
Pneumocystis carinii, 69
Precursor to the major merozoite surface antigen, 231
Protease, 27
Protein kinase C, 107
Pterin, 221
Pulsed field gel electrophoresis, 257

Reconstitution, 125

Repetitive DNA, 39
Ribosomal RNA, 117

Schistosoma mansoni, 89, 245, 289
Schistosome, 59
Sequence analysis, 257
Sequence homology, 167, 245
Sequence, 97
Sporozoite, 51
Stage-specific transcription, 271
Surface antigen, 211
Surface protein, 199

Tandem repeat, 211
Toxoplasma gondii, 97
Transcription, 133
Transport, 221
Tropomyosin, 245
Trypanosoma brucei, 17, 107, 125
Trypanosoma cruzi, 27, 133
Trypanosoma evansi, 167
Trypanosoma, 1
Trypanosome, 279
Tubulin gene, 257, 271
α- and β-Tubulin, 7
α-Tubulin protein, 257

Variant-specific surface glycoprotein, 1